



Do Your GC Logs Speak To You

Visualizing G1GC, the Garbage First
Garbage Collector

About Me



- Consultant (www.kodewerk.com)
 - performance tuning and training
- Helped establish www.javaperformancetuning.com
- Member of Java Champion program
- Other stuff... (google is your care to)



Disclaimer

The resemblance of any opinion, recommendation or comment made during this presentation to performance tuning advice is merely coincidental.



Why collect GC logs?



GC logs contain the information you need to make informed choices about how to tune Java Memory management



What is the performance impact of logging GC in production?



How do I get a GC log?

- `-verbose:gc` (not recommended)
- `-Xloggc:gc.log` (recommended)
- `-XX:+UseGCLogFileRotation` (7.0 feature)
 - `-XX:NumberOfGCLogFiles=10`
 - `-XX:GCLogFileSize=1g`
- `-XX:+PrintDateStamps`
- `-XX:+PrintGCDetails`
- `-XX:+PrintTenuringDistribution`

Generational GC



- Split memory into different memory pools
- Objects allocated in young and eventually moved to tenured
- Pools cleaned via mark/sweep collector


Mark Sweep Review

- ◉ Meet some condition to trigger a collection cycle
- ◉ Call to safe-point application threads
- ◉ Find all GC roots
- ◉ Mark all live objects by tracing references from roots
- ◉ Reclaim unreachable or evict survivors
 - ◉ fix all dangling pointers

What is a Safe-Point?

- A point in a threads execution when it can safely be interrupted
 - salt code with calls to safe-point
 - capture application threads
- Threads are blocked until released
- Frequent safe-pointing creates Scheduling pressure

What is a GC Root?



- Two types of pointers
 - internal fully contained in a memory pool
 - external, originates outside a memory pool
- GC root

Where's Waldo?



- ◉ Aside from Perm gen, globals, registers, stack frames, locks, VM data structures roots for;
 - ◉ tenured are in young
 - ◉ young are in tenured

What's in a Pause

- Safe-pointing (2x context switch)
- scan for roots
 - objects that are live by definition
- **mark** everything reachable from a root
 - trace live objects
- **sweep** (reallocate by copy or compaction)
 - finding and re-point dangling pointers

Challenges

- ◉ Applications need to process more data than they ever had to
 - ◉ translates to larger working sets
- ◉ GC pause dominated by working set size
 - ◉ scan for roots cost dominated by heap size
- ◉ larger heaps and working set == longer pauses



Evacuating collectors are good at
ignoring dead objects



Not so good as heap size and
corresponding live set size grow

How can we maximize MMU so that we can work with larger working sets without suffering the pause



Disentangle pause time from heap size?



Ignore long lived objects?



Regional Collectors


Regional Collectors

- Several implementations of (sort of) regional collectors
 - Oracle G1GC
 - IBM Balance
 - Azul C4
 - Redhat Shenandoah

G1 Heap Structure

- Heap divided into ~2000 uniformly sized regions
- size ranges from 1m-32m
 - size determined ergonomically

`-XX:G1HeapRegionSize=<n>`



Region Sets

- At any time any region can belong to;
 - eden
 - survivor
 - old
 - humungous
 - really really big
 - un-used
- regions are taken from and returned to un-used

		O				
					S	
		E				
O						O
		E		E		
				H	H	H
	O				S	
			O			

Region Sets

- **Un-used** is the list of free regions
- Objects are created in **Eden**
- **Survivor** and **old** serves the same purpose as they do in a generational heap
- Objects larger than 50% of a region are **humungous**
 - combine contiguous regions to create a larger space

Remember Set (RSet)

- ◉ Set of cards that track external pointers into its region
 - ◉ record pointer to RSet
 - ◉ mark RSet as mutated
- ◉ Cost
 - ◉ <5% of memory
 - ◉ write memory barrier (visibility)
 - ◉ indirection

Building a CSet

- ◉ Find regions "ripe" for collection
 - ◉ empty is trivial
 - ◉ almost empty is cheap
 - ◉ almost full is expensive
- ◉ Build a set (CSet) that may be evacuated (swept) within a given pause time over a time interval
 - ◉ may not be able to comply

G1 Phases

- Young gen mark and sweep
 - evacuate all reachable objects to a new region
 - per region evacuation pauses

G1 Characteristics

- ◉ Mostly self tuning
 - ◉ max heap size
 - ◉ specify a pause time over an interval
 - ◉ sizes adaptively to try to meet pause time goal
- ◉ Generational
 - ◉ young gen
 - ◉ old gen mark

GC Phases

- ◉ Mostly concurrent mark sweep
- ◉ young gen collector is mark and sweep
- ◉ old gen collector is mark only
 - ◉ old gen regions are swept by young gen collector
- ◉ Fully evacuating
 - ◉ no need for compaction


```
63.170: [GC pause (young)
Desired survivor size 524288 bytes, new threshold 15 (max 15)
- age 1:      82912 bytes,      82912 total
- age 2:      230888 bytes,     313800 total
, 0.00333500 secs]
[Parallel Time:  2.8 ms]
[GC Worker Start (ms): 63170.2 63170.2 63170.2 63170.3 63170.3 63172.7 63172.8 63172.8
Avg: 63171.2, Min: 63170.2, Max: 63172.8, Diff:  2.6]
[Ext Root Scanning (ms): 1.3 1.8 1.2 1.0 1.1 0.0 0.0 0.0
Avg:  0.8, Min:  0.0, Max:  1.8, Diff:  1.8]
[Update RS (ms): 0.0 0.0 0.1 0.2 0.1 0.0 0.0 0.0
Avg:  0.0, Min:  0.0, Max:  0.2, Diff:  0.2]
[Processed Buffers : 0 0 4 3 5 0 0 0
Sum: 12, Avg: 1, Min: 0, Max: 5, Diff: 5]
[Scan RS (ms): 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Avg:  0.0, Min:  0.0, Max:  0.0, Diff:  0.0]
[Object Copy (ms): 1.0 0.6 1.1 1.1 1.1 0.0 0.0 0.0
Avg:  0.6, Min:  0.0, Max:  1.1, Diff:  1.1]
[Termination (ms): 0.2 0.2 0.3 0.2 0.2 0.1 0.0 0.0
Avg:  0.2, Min:  0.0, Max:  0.3, Diff:  0.3]
[Termination Attempts : 4 1 6 2 4 1 1 1
Sum: 20, Avg: 2, Min: 1, Max: 6, Diff: 5]
[GC Worker End (ms): 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8
Avg: 63172.8, Min: 63172.8, Max: 63172.8, Diff:  0.0]
[GC Worker (ms): 2.6 2.6 2.6 2.5 2.5 0.1 0.0 0.0
Avg:  1.6, Min:  0.0, Max:  2.6, Diff:  2.6]
[GC Worker Other (ms): 0.2 0.2 0.2 0.2 0.3 2.6 2.7 2.8
Avg:  1.2, Min:  0.2, Max:  2.8, Diff:  2.6]
[Clear CT:  0.1 ms]
[Other:  0.4 ms]
[Choose CSet:  0.0 ms]
[Ref Proc:  0.4 ms]
[Ref Enq:  0.0 ms]
[Free CSet:  0.0 ms]
[Eden: 3072K(3072K)->0B(2048K) Survivors: 1024K->1024K Heap: 6999K(10M)->5288K(10M)]
[Times: user=0.02 sys=0.00, real=0.00 secs]
```

63.170: [GC pause (young)]

Desired survivor size 524288 bytes, new threshold 15 (max 15)

- age 1: 82912 bytes, 82912 total

- age 2: 230888 bytes, 313800 total

, 0.00333500 secs]

- Pure evacuation pause of young gen regions lasting 0.00333500 seconds started 63.170 seconds after VM startup

63.170: [GC pause (young)]

Desired survivor size **524288** bytes, new threshold **15** (max **15**)

- age 1: 82912 bytes, 82912 total

- age 2: 230888 bytes, 313800 total

, 0.00333500 secs]

- Desired survivor size is **524288** bytes
- Max tenuring threshold is **15**
- Calculated threshold is **15**
- reflects bytes @ ag1 + age 2 < desired

[Eden: 3072K(3072K)→0B(2048K) Survivors: 1024K→1024K
Heap: 6999K(10M)→5288K(10M)]

[Times: user=0.01 sys=0.00, real=0.00 secs]

- Evacuation changes memory consumption
 - reported on
- Report format for Eden, survivor, and total heap
 - before(size)→after(size)
 - old must be calculated


```
63.170: [GC pause (young)
Desired survivor size 524288 bytes, new threshold 15 (max 15)
- age 1:      82912 bytes,      82912 total
- age 2:      230888 bytes,     313800 total
, 0.00333500 secs]
```

```
[Parallel Time: 2.8 ms]
```

```
[GC Worker Start (ms): 63170.2 63170.2 63170.2 63170.3 63170.3 63172.7 63172.8 63172.8
```

```
Avg: 63171.2, Min: 63170.2, Max: 63172.8, Diff: 2.6]
```

```
[Ext Root Scanning (ms): 1.3 1.8 1.2 1.0 1.1 0.0 0.0 0.0
```

```
Avg: 0.8, Min: 0.0, Max: 1.8, Diff: 1.8]
```

```
[Update RS (ms): 0.0 0.0 0.1 0.2 0.1 0.0 0.0 0.0
```

```
Avg: 0.0, Min: 0.0, Max: 0.2, Diff: 0.2]
```

```
[Processed Buffers : 0 0 4 3 5 0 0 0
```

```
Sum: 12, Avg: 1, Min: 0, Max: 5, Diff: 5]
```

```
[Scan RS (ms): 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
```

```
Avg: 0.0, Min: 0.0, Max: 0.0, Diff: 0.0]
```

```
[Object Copy (ms): 1.0 0.6 1.1 1.1 1.1 0.0 0.0 0.0
```

```
Avg: 0.6, Min: 0.0, Max: 1.1, Diff: 1.1]
```

```
[Termination (ms): 0.2 0.2 0.3 0.2 0.2 0.1 0.0 0.0
```

```
Avg: 0.2, Min: 0.0, Max: 0.3, Diff: 0.3]
```

```
[Termination Attempts : 4 1 6 2 4 1 1 1
```

```
Sum: 20, Avg: 2, Min: 1, Max: 6, Diff: 5]
```

```
[GC Worker End (ms): 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8
```

```
Avg: 63172.8, Min: 63172.8, Max: 63172.8, Diff: 0.0]
```

```
[GC Worker (ms): 2.6 2.6 2.6 2.5 2.5 0.1 0.0 0.0
```

```
Avg: 1.6, Min: 0.0, Max: 2.6, Diff: 2.6]
```

```
[GC Worker Other (ms): 0.2 0.2 0.2 0.2 0.3 2.6 2.7 2.8
```

```
Avg: 1.2, Min: 0.2, Max: 2.8, Diff: 2.6]
```

```
[Clear CT: 0.1 ms]
```

```
[Other: 0.4 ms]
```

```
[Choose CSet: 0.0 ms]
```

```
[Ref Proc: 0.4 ms]
```

```
[Ref Enq: 0.0 ms]
```


```
[Free CSet: 0.0 ms]
```

```
[Eden: 3072K(3072K)->0B(2048K) Survivors: 1024K->1024K Heap: 6999K(10M)->5288K(10M)]
```

```
[Times: user=0.02 sys=0.00, real=0.00 secs]
```

[Parallel Time: 2.8 ms]

- Total elapsed time for parallel worker threads




```
[GC Worker Start (ms): 63170.2 63170.2 63170.2 63170.3 63170.3  
63172.7 63172.8 63172.8
```

```
Avg: 63171.2, Min: 63170.2, Max: 63172.8, Diff: 2.5]
```

.....

```
[GC Worker End (ms): 63172.8 63172.8 63172.8 63172.8  
63172.8 63172.8 63172.8 63172.8
```

```
Avg: 63172.8, Min: 63172.8, Max: 63172.8, Diff: 0.0]
```

- Time stamp for when each GC worker started and then ended
- Statistical summary of record

[GC Worker (ms): 2.6 2.6 2.6 2.5 2.5 0.1 0.0 0.0

Avg: 1.6, Min: 0.0, Max: 2.6, Diff: 2.6]

[GC Worker Other (ms): 0.2 0.2 0.2 0.2 0.3 2.6 2.7 2.8

Avg: 1.2, Min: 0.2, Max: 2.8, Diff: 2.6]

- Total concurrent time from start and stop record
- Other is activity not accounted for in the summary records

[Ext Root Scanning (ms): 1.3 1.8 1.2 1.0 1.1 0.0 0.0 0.0
Avg: 0.8, Min: 0.0, Max: 1.8, Diff: 1.8]

- Per-thread time to scan for roots



[Update RS (ms): 0.0 0.0 0.1 0.2 0.1 0.0 0.0 0.0

Avg: 0.0, Min: 0.0, Max: 0.2, Diff: 0.2]

[Processed Buffers : 0 0 4 3 5 0 0 0

Sum: 12, Avg: 1, Min: 0, Max: 5, Diff: 5]

- Per-thread time to process update buffers
- Mutator threads are still working
 - updates to RSet maintained in an update buffer
- Number of buffers processed by each thread

[Scan RS (ms): 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
Avg: 0.0, Min: 0.0, Max: 0.0, Diff: 0.0]

• Per-thread time to process RSets

[Object Copy (ms): 1.0 0.6 1.1 1.1 1.1 0.0 0.0 0.0
Avg: 0.6, Min: 0.0, Max: 1.1, Diff: 1.1]

• Per-thread time spent copying objects in the CSet to other regions

[Termination (ms): 0.2 0.2 0.3 0.2 0.2 0.1 0.0 0.0

Avg: 0.2, Min: 0.0, Max: 0.3, Diff: 0.3]

[Termination Attempts : 4 1 6 2 4 1 1 1

Sum: 20, Avg: 2, Min: 1, Max: 6, Diff: 5]

- Per-thread time of offer to terminate
- Follow up is number of termination attempts
- maybe offered work from other threads queue
- work stealing

[Termination (ms): 0.2 0.2 0.3 0.2 0.2 0.1 0.0 0.0

Avg: 0.2, Min: 0.0, Max: 0.3, Diff: 0.3]

[Termination Attempts : 4 1 6 2 4 1 1 1

Sum: 20, Avg: 2, Min: 1, Max: 6, Diff: 5]

- Per-thread time of offer to terminate
- Follow up is number of termination attempts
- maybe offered work from other threads queue
- work stealing

[Clear CT: 0.1 ms]

- Clear card tables
- serial pause event

[Other: 0.4 ms]

[Choose CSet: 0.0 ms]

[Ref Proc: 0.4 ms]

[Ref Enq: 0.0 ms]

[Free CSet: 0.0 ms]

• Other tasks

- reference processing

- reference enqueueing

- freeing the collection set data structure

```
63.170: [GC pause (young)
Desired survivor size 524288 bytes, new threshold 15 (max 15)
- age 1:      82912 bytes,      82912 total
- age 2:      230888 bytes,     313800 total
, 0.00333500 secs]
```

```
[Parallel Time: 2.8 ms]
```

```
[GC Worker Start (ms): 63170.2 63170.2 63170.2 63170.3 63170.3 63172.7 63172.8 63172.8
```

```
Avg: 63171.2, Min: 63170.2, Max: 63172.8, Diff: 2.5]
```

```
[Ext Root Scanning (ms): 1.3 1.8 1.2 1.0 1.1 0.0 0.0 0.0
```

```
Avg: 0.8, Min: 0.0, Max: 1.8, Diff: 1.8]
```

```
[Update RS (ms): 0.0 0.0 0.1 0.2 0.1 0.0 0.0 0.0
```

```
Avg: 0.0, Min: 0.0, Max: 0.2, Diff: 0.2]
```

```
[Processed Buffers : 0 0 4 3 5 0 0 0
```

```
Sum: 12, Avg: 1, Min: 0, Max: 5, Diff: 5]
```

```
[Scan RS (ms): 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
```

```
Avg: 0.0, Min: 0.0, Max: 0.0, Diff: 0.0]
```

```
[Object Copy (ms): 1.0 0.6 1.1 1.1 1.1 0.0 0.0 0.0
```

```
Avg: 0.6, Min: 0.0, Max: 1.1, Diff: 1.1]
```

```
[Termination (ms): 0.2 0.2 0.3 0.2 0.2 0.1 0.0 0.0
```

```
Avg: 0.2, Min: 0.0, Max: 0.3, Diff: 0.3]
```

```
[Termination Attempts : 4 1 6 2 4 1 1 1
```

```
Sum: 20, Avg: 2, Min: 1, Max: 6, Diff: 5]
```

```
[GC Worker End (ms): 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8 63172.8
```

```
Avg: 63172.8, Min: 63172.8, Max: 63172.8, Diff: 0.0]
```

```
[GC Worker (ms): 2.6 2.6 2.6 2.5 2.5 0.1 0.0 0.0
```

```
Avg: 1.6, Min: 0.0, Max: 2.6, Diff: 2.6]
```

```
[GC Worker Other (ms): 0.2 0.2 0.2 0.2 0.3 2.6 2.7 2.8
```

```
Avg: 1.2, Min: 0.2, Max: 2.8, Diff: 2.6]
```

```
[Clear CT: 0.1 ms]
```

```
[Other: 0.4 ms]
```

```
[Choose CSet: 0.0 ms]
```

```
[Ref Proc: 0.4 ms]
```

```
[Ref Enq: 0.0 ms]
```

```
[Free CSet: 0.0 ms]
```

```
[Eden: 3072K(3072K)->0B(2048K) Survivors: 1024K->1024K Heap: 6999K(10M)->5288K(10M)]
```

```
[Times: user=0.02 sys=0.00, real=0.00 secs]
```


63.233: [GC pause (young)

Desired survivor size 524288 bytes, new threshold 1 (max 15)

- age 1: 1275728 bytes, 1275728 total
- age 2: 81624 bytes, 1357352 total
- age 3: 230888 bytes, 1588240 total

(initial-mark), 0.00522500 secs]

- Old space **initial-mark** has been piggybacked onto the evacuation phase
- Internalizes roots to a region

63.239: [GC concurrent-root-region-scan-start]

63.239: [GC concurrent-root-region-scan-end, 0.0006690]

- Scan root regions directly reachable from the survivors of the initial mark phase
- 0.0006690 concurrent time time

63.239: [GC concurrent-mark-start]

63.246: [GC concurrent-mark-end, 0.0066900 sec]

- Concurrent marking phase
- 0.0066900 concurrent time

63.246: [GC remark 63.247: [GC ref-proc, 0.0000480 secs],
0.0014730 secs]

[Times: user=0.01 sys=0.00, real=0.00 secs]

- ◉ Stop-the-world remark
 - ◉ starts @ 63.246
 - ◉ duration: 0.0014730
- ◉ Includes reference processing
 - ◉ starts @ 63.247
 - ◉ duration: 0.0000480

38,300: [GC cleanup 341M->315M(384M), 0.0046641 secs]

- 341M->315M(384M)
 - occupancy before, after, configured
- Stop the world 0.0046641 seconds

80.197: [GC concurrent-cleanup-start]

80.197: [GC concurrent-cleanup-end, 0.0000740]

- Return empty regions back to unused
- Concurrent time of 0.0000749 seconds

Other Records

[GC concurrent-mark-reset-for-overflow]

- ◉ Global marking stack was full
 - ◉ heap is too small
 - ◉ scan of old started too late
 - ◉ must start over
 - ◉ expensive failure

JIT Collection Tripper

InitiatingHeapOccupancyPercent

- ◉ Heap occupancy at which a mixed collection will be triggered
 - ◉ defaults to 45%
 - ◉ collection needs to finish before heap is full
 - ◉ expensive failure
- ◉ too frequent yields high overheads with low returns

CSet Inclusion

G1OldCSetRegionLiveThresholdPercentage

- Occupancy above which a region will be considered a poor candidate for reaping
- defaults to 90%
- lower values may eliminate lower occupancy regions that are also not good candidates for reaping

Abort Criteria

G1HeapWastePercent

- default 5%
- Used to abort collection of poor candidate regions


Mixed GC Frequency

G1MixedGCTarget

- ◉ Ratio of mixed to total collections
 - ◉ default value of 8
 - ◉ 1 of 8 collections should be mixed
 - ◉ maybe too high a frequency
 - ◉ least favorite design decision
 - ◉ no feedback to justify triggering

GC Jitter???


- FX application to flip screen between black and white on each vsync
- 60hz signal == 16ms update interval
- 10Gig heap, 10ms over 200ms pause time goal
 - never hit it!
 - today it could




GC Tuning Goals

- ◉ Eliminate GC interference
 - ◉ improve user response times
 - ◉ improve throughput
- ◉ Reduce hardware requirements
 - ◉ use less CPU
 - ◉ use smaller heap

App with Memory Leak




App with Memory Leak




Run 2 - mx8G

Label	# Samples	Average	Median	90% Line	Min	Max	Error %	Throughput	KB/sec
keyword:keyword home	4000	5	4	7	2	399	0.00%	6.5/sec	3.5
wildcard:wildcard home	1200	4	4	7	2	172	0.00%	2.0/sec	1.1
wildcard:wildcard query	6000	44	40	56	31	447	0.00%	9.7/sec	49.7
keyword:keyword query	20000	448	331	637	248	2826	0.00%	31.6/sec	115.2
TOTAL	31200	296	292	611	2	2826	0.00%	49.0/sec	167.4

Run 2 - mx8G



Run 2 - MX8G



Run 5 - mx8G + + +

Label	# Samples	Average	Median	90% Line	Min	Max	Error %	Throughput	KB/sec
wildcard:wildcard home	1200	5	4	7	2	438	0.00%	2.0/sec	1.1
keyword:keyword home	4000	4	4	7	2	264	0.00%	6.5/sec	3.5
wildcard:wildcard query	6000	44	41	57	32	384	0.00%	9.7/sec	50.1
keyword:keyword query	20000	444	330	631	248	5951	0.00%	31.7/sec	115.7
TOTAL	31200	294	290	609	2	5951	0.00%	49.2/sec	168.3


Run 1 Reminder

Label	# Samples	Average	Median	90% Line	Min	Max	Error %	Throughput	KB/sec
keyword:keyword home	4000	5	4	7	2	399	0.00%	6.5/sec	3.5
wildcard:wildcard home	1200	4	4	7	2	172	0.00%	2.0/sec	1.1
wildcard:wildcard query	6000	44	40	56	31	447	0.00%	9.7/sec	49.7
keyword:keyword query	20000	448	331	637	248	2826	0.00%	31.6/sec	115.2
TOTAL	31200	296	292	611	2	2826	0.00%	49.0/sec	167.4

Run S -mx8G + + +



Run S -mx8G + + +




CMS Run -MX8G

Label	# Samples	Average	Median	90% Line	Min	Max	Error %	Throughput	KB/sec
keyword:keyword home	4000	4	3	6	2	428	0.00%	6.3/sec	3.4
wildcard:wildcard home	1200	4	3	6	2	411	0.00%	1.9/sec	1.1
keyword:keyword query	20000	379	261	532	105	2726	0.02%	30.8/sec	111.8
wildcard:wildcard query	6000	42	36	67	29	624	0.02%	9.5/sec	49.2
TOTAL	31200	252	250	507	2	2726	0.01%	47.8/sec	162.9


Run 1 Reminder

Label	# Samples	Average	Median	90% Line	Min	Max	Error %	Throughput	KB/sec
keyword:keyword home	4000	5	4	7	2	399	0.00%	6.5/sec	3.5
wildcard:wildcard home	1200	4	4	7	2	172	0.00%	2.0/sec	1.1
wildcard:wildcard query	6000	44	40	56	31	447	0.00%	9.7/sec	49.7
keyword:keyword query	20000	448	331	637	248	2826	0.00%	31.6/sec	115.2
TOTAL	31200	296	292	611	2	2826	0.00%	49.0/sec	167.4

CMS Run -mx8G



CMS Run -MX8G



Flags and stuff

- `-XX:+UseG1GC`
- `-mx, -mn`
- `-XX:MaxGCPauseMillis=200`
- `-XX:GCPauseIntervalMillis=1000`
- `-XX:InitiatingHeapOccupancyPercent=45`
- `-XX:NewRatio=2`
- `-XX:SurvivorRatio=8`

Flags and Stuff

- `-XX:MaxTenuringThreshold=15`
- `-XX:ParallelGCThreads=n`
- `-XX:ConcGCThreads=n`
- `-XX:G1ReservePercent=n`
- `-XX:G1HeapRegionSize=n`
- numerous other flags that get hairy

Flags and Stuff

- ◉ Does not respond well to aggressive pause time goals
- ◉ Setting `-mn`, `SurvivorRatio`, or a number of other flags **will** cause the pause time to be ignored
 - ◉ stubborn to tuning efforts

Wanna Learn more?

Java Performance Tuning,
June 2-5, Chania Greece

www.kodewerk.com